* * *	* * *	* * *	* Welcome to STN International * * * * * * * * *			
NEWS	1		Web Page URLs for STN Seminar Schedule - N. America			
NEWS	2		"Ask CAS" for self-help around the clock			
NEWS		AN 17	Pre-1988 INPI data added to MARPAT			
NEWS	-	EB 21	STN AnaVist, Version 1.1, lets you share your STN AnaVist			
	• • •		visualization results			
NEWS	5 FE	EB 22	The IPC thesaurus added to additional patent databases on STN			
NEWS	6 F	EB 22	Updates in EPFULL; IPC 8 enhancements added			
NEWS	7 F	EB 27	New STN AnaVist pricing effective March 1, 2006			
NEWS		AR 03	Updates in PATDPA; addition of IPC 8 data without attributes			
NEWS		AR 22	EMBASE is now updated on a daily basis			
	10 A		New IPC 8 fields and IPC thesaurus added to PATDPAFULL			
NEWS	11 A	PR 03	Bibliographic data updates resume; new IPC 8 fields and IPC thesaurus added in PCTFULL			
NEWS	12 A	PR 04	STN AnaVist \$500 visualization usage credit offered			
NEWS	13 A	PR 12	LINSPEC, learning database for INSPEC, reloaded and enhanced			
NEWS	14 AF	PR 12	Improved structure highlighting in FQHIT and QHIT display in MARPAT			
NEWS	15 A	PR 12	Derwent World Patents Index to be reloaded and enhanced during second quarter; strategies may be affected			
NEWS	16 MZ	Y 10	CA/CAplus enhanced with 1900-1906 U.S. patent records			
NEWS		Y 11	KOREAPAT updates resume			
NEWS		Y 19	Derwent World Patents Index to be reloaded and enhanced			
NEWS	19 MA	AY 30	IPC 8 Rolled-up Core codes added to CA/CAplus and USPATFULL/USPAT2			
NEWS	20 MZ	AY 30	The F-Term thesaurus is now available in CA/CAplus			
NEWS	EXPRES	SS	FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005. V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT http://download.cas.org/express/v8.0-Discover/			
NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS LOGIN Welcome Banner and News Items NEWS IPC8 For general information regarding STN implementation of IPC 8 NEWS X25 X.25 communication option no longer available after June 2006						
	NEWS f		red by the item number or name to see news on that			
All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.						
* * *	* * *	* * *	* * * * * STN Columbus * * * * * * * * * * * * *			
FILE 'HOME' ENTERED AT 11:21:34 ON 02 JUN 2006						
=> fil	rea:	e pol	yester/pct			
	N U.S.	_				
			ENTRY SESSION			
FULL ESTIMATED COST 0.63 0.63						
FILE 'REGISTRY' ENTERED AT 11:23:11 ON 02 JUN 2006						

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3 DICTIONARY FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

E1	1272	POLYCYANURATE/PCT
E2	1262	POLYCYANURATE FORMED/PCT
E3	193436>	POLYESTER/PCT
E4	157365	POLYESTER FORMED/PCT
E5	271585	POLYETHER/PCT
E6	72783	POLYETHER FORMED/PCT
E7	3634	POLYHYDRAZIDE/PCT
E8	2815	POLYHYDRAZIDE FORMED/PCT
E9	55054	POLYIMIDE/PCT
E10	34228	POLYIMIDE FORMED/PCT
E11	5596	POLYIONENE/PCT
E12	2096	POLYIONENE FORMED/PCT

=> s e3

L1 193436 POLYESTER/PCT

=> s l1 and si/els 1242494 SI/ELS L2 5687 L1 AND SI/ELS

=> s 12 and caprolact?
4010 CAPROLACT?

L3 50 L2 AND CAPROLACT?

=> d scan

L3 50 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN

IN 2-Oxepanone, polymer with dimethylsilanediol, triblock (9CI)

MF (C6 H10 O2 . C2 H8 O2 Si)x

CI PMS

CM 1

CM 2

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1).

L3 50 ANSWERS REGISTRY COPYRIGHT 2006 ACS on STN

IN 2-Propenoic acid, 2-methyl-, butyl ester, polymer with cellulose acetate,
1,1-dimethylethyl 2-methyl-2-propenoate, ethenylbenzene,
ethenyltriethoxysilane, 2-ethylhexyl 2-propenoate, 2-hydroxyethyl
2-methyl-2-propenoate, methyl 2-methyl-2-propenoate, 2-oxepanone,
oxiranylmethyl 2-methyl-2-propenoate and 2-propenoic acid (9CI)
MF (C11 H20 O2 . C8 H18 O3 Si . C8 H14 O2 . C8 H14 O2 . C8 H8 . C7 H10 O3 .

MF (C11 H20 O2 . C8 H18 O3 Si . C8 H14 O2 . C8 H14 O2 . C8 H8 . C7 H10 O3 . C6 H10 O3 . C6 H10 O2 . C5 H8 O2 . C3 H4 O2 . C2 H4 O2 . x Unspecified)x

CI PMS

CM 1

CM 2

CM 3

CM 5

CM 6

$$H_2C = CH - Ph$$

CM 7

CM 8

CM 9

CM 11

CM 12

STRUCTURE DIAGRAM IS NOT AVAILABLE

CM 13

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1)

* * * * * * * RECONNECTED TO STN INTERNATIONAL * * * * * *

SESSION RESUMED IN FILE 'REGISTRY' AT 11:27:52 ON 02 JUN 2006

FILE 'REGISTRY' ENTERED AT 11:27:52 ON 02 JUN 2006

COPYRIGHT (C) 2006 American Chemical Society (ACS)

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> d his

(FILE 'HOME' ENTERED AT 11:21:34 ON 02 JUN 2006)

FILE 'REGISTRY' ENTERED AT 11:23:11 ON 02 JUN 2006 E POLYESTER/PCT

L1 193436 S E3

L2 5687 S L1 AND SI/ELS

L3 50 S L2 AND CAPROLACT?

=> fil ca; s 13

COST IN U.S. DOLLARS

SINCE FILE TOTAL

ENTRY SESSION 20.53 21.16

FULL ESTIMATED COST

FILE 'CA' ENTERED AT 11:28:17 ON 02 JUN 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching

databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 Jun 2006 VOL 144 ISS 24 FILE LAST UPDATED: 1 Jun 2006 (20060601/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

L4 70 L3

=> s 14 and electrophotog?
67973 ELECTROPHOTOG?

L5 1 L4 AND ELECTROPHOTOG?

=> d bib

L5 ANSWER 1 OF 1 CA COPYRIGHT 2006 ACS on STN Full Text

AN 143:396296 CA

TI Photoconductive members

IN Qi, Yu; Hu, Nan-Xing; Hor, Ah-Mee; Hsiao, Cheng-Kuo; Mcguire, Gregory;
Goodbrand, H. Bruce; Vong, Cuong

PA Xerox Corporation, USA

SO U.S. Pat. Appl. Publ., 17 pp.

CODEN: USXXCO

DT Patent

LA English

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE			
PI US 2005233235	A1	20051020	US 2004-823913	20040414			
JP 2005301287	A2	20051027	JP 2005-116224	20050413			
PRAI US 2004-823913	Α	20040414					

=> fil reg

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 3.39 24.55

FILE 'REGISTRY' ENTERED AT 11:28:41 ON 02 JUN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3 DICTIONARY FILE UPDATES: 1 JUN 2006 HIGHEST RN 886490-27-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when

conducting SmartSELECT searches.

* The CA roles and document type information have been removed from * the IDE default display format and the ED field has been added, * effective March 20, 2005. A new display format, IDERL, is now * available and contains the CA role and document type information. * *

Structure search iteration limits have been increased. See ${\tt HELP}$ SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=> e ca	aprolcatone/	cn			
E1	1	CAPROLAN B 135WP/CN			
E2	1	CAPROLAN TN 65 CH 98 A-K/CN			
E3	0>	CAPROLCATONE/CN			
E4	1	CAPROLCATONE-METHYLENEDIANILINE-2,4-TOLYLENE DIISOCYANATE PO			
		LYMER/CN			
E5	1	CAPROLEIC ACID/CN			
E6	1	CAPROLENE/CN			
E7	1	CAPROLIN/CN			
E8	1	CAPROLISIN/CN			
E9	1	CAPROLOCTONE-9,9-DIHEXYL-2,7-DIBROMOFLUORENE BLOCK COPOLYMER			
		/CN			
E10	1	CAPROLON B/CN			
E11	1	CAPROLON V/CN			
E12	1	CAPROLUPUPHENONE/CN			
	aprolactone/	cn			
E1	1	CAPROLACTINE A/CN			
E2	1	CAPROLACTINE B/CN			
E3	1>	CAPROLACTONE/CN			
E4	1	CAPROLACTONE A/CN			
E5	1	CAPROLACTONE ACRYLATE-2-ETHYLHEXYL ACRYLATE COPOLYMER/CN			
E6	1	CAPROLACTONE ACRYLATE-DESMODUR W-RUCOFLEX S 105-55-TETRAETHY			
		LENE GLYCOL DIACRYLATE COPOLYMER/CN			
E7	1	CAPROLACTONE ACRYLATE-IPDI COPOLYMER/CN			
E8	1	CAPROLACTONE ACRYLATE-TETRAETHYLENE GLYCOL DIACRYLATE-TRIPRO			
		PYLENE GLYCOL MONOACRYLATE COPOLYMER/CN			
E9	1	CAPROLACTONE CYCLIC DIMER/CN			
E10	1	CAPROLACTONE CYCLIC HEXAMER/CN			
E11	1	CAPROLACTONE CYCLIC PENTAMER/CN			
E12	1	CAPROLACTONE CYCLIC TETRAMER/CN			
_					
=> s e3		DOLL CHONE (CIT			
L6	1 CAF	PROLACTONE/CN			
=> d					
-					
L6 AN	SWER 1 OF 1	REGISTRY COPYRIGHT 2006 ACS on STN			
RN 50	2-44-3 REG	ISTRY			
ED Entered STN: 16 Nov 1984					
CN 2-Oxepanone (8CI, 9CI) (CA INDEX NAME)					

```
OTHER CA INDEX NAMES:
   Hexanoic acid, 6-hydroxy-, lactone (6CI)
OTHER NAMES:
CN
    ε-Caprolactone
CN
    ε-Hexanolactone
CN
    1,6-Hexanolide
CN
    2-0xooxopane
CN
    6-Hexanolactone
CN
    6-Hexanolide
CN
    6-Hydroxyhexanoic acid lactone
CN
    Caprolactone
CN
    Caprolactone A
CN
    Epsilon-caprolactone
    Hexamethylene oxide, 2-oxo-
CN
    Hexanoic acid, 6-hydroxy-, &-lactone
CN
    Placcel M
CN
    Tone ECEO
CN
    Tone Monomer EC
FS
    3D CONCORD
DR
    67184-99-0, 52004-64-5, 80137-66-2
MF
    C6 H10 O2
CI
    COM
     STN Files: AGRICOLA, ANABSTR, BEILSTEIN*, BIOSIS, CA, CAOLD, CAPLUS,
LC
       CASREACT, CBNB, CHEMCATS, CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, DETHERM*,
       HSDB*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, MSDS-OHS, PIRA, PROMT,
      RTECS*, SPECINFO, SYNTHLINE, TOXCENTER, USPAT7ULL
         (*File contains numerically searchable property data)
     Other Sources:
                     DSL**, EINECS**, TSCA**
         (**Enter CHEMLIST File for up-to-date regulatory information)
**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**
            2863 REFERENCES IN FILE CA (1907 TO DATE)
             889 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
            2868 REFERENCES IN FILE CAPLUS (1907 TO DATE)
              67 REFERENCES IN FILE CAOLD (PRIOR TO 1967)
=> s 502-44-3/crn
L7
         6358 502-44-3/CRN
=> s 17 and si/els
      1242494 SI/ELS
           213 L7 AND SI/ELS
=> s 18 and pms/ci
      1115482 PMS/CI
          212 L8 AND PMS/CI
=> d his
     (FILE 'HOME' ENTERED AT 11:21:34 ON 02 JUN 2006)
```

FILE 'REGISTRY' ENTERED AT 11:23:11 ON 02 JUN 2006 E POLYESTER/PCT L1 193436 S E3 1.2 5687 S L1 AND SI/ELS L_3 50 S L2 AND CAPROLACT? FILE 'CA' ENTERED AT 11:28:17 ON 02 JUN 2006 L470 S L3 L5 1 S L4 AND ELECTROPHOTOG? FILE 'REGISTRY' ENTERED AT 11:28:41 ON 02 JUN 2006 E CAPROLCATONE/CN E CAPROLACTONE/CN 1 S E3 1.6 6358 S 502-44-3/CRN L7 213 S L7 AND SI/ELS L8 212 S L8 AND PMS/CI

=> s 19 not 13

L10 167 L9 NOT L3

=> fil ca

COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST
17.06 41.61

FILE 'CA' ENTERED AT 11:29:58 ON 02 JUN 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 Jun 2006 VOL 144 ISS 24 FILE LAST UPDATED: 1 Jun 2006 (20060601/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 110 L11 91 L10

=> s l11 and electrophotog?
67973 ELECTROPHOTOG?

L12 2 L11 AND ELECTROPHOTOG?

=> d his

(FILE 'HOME' ENTERED AT 11:21:34 ON 02 JUN 2006)

```
FILE 'REGISTRY' ENTERED AT 11:23:11 ON 02 JUN 2006
           E POLYESTER/PCT
L1
        193436 S E3
L2
          5687 S L1 AND SI/ELS
L3
            50 S L2 AND CAPROLACT?
    FILE 'CA' ENTERED AT 11:28:17 ON 02 JUN 2006
L4
            70 S L3
L5
            1 S L4 AND ELECTROPHOTOG?
    FILE 'REGISTRY' ENTERED AT 11:28:41 ON 02 JUN 2006
              E CAPROLCATONE/CN
               E CAPROLACTONE/CN
L6
             1 S E3
L7
          6358 S 502-44-3/CRN
L8
           213 S L7 AND SI/ELS
L9
           212 S L8 AND PMS/CI
           167 S L9 NOT L3
    FILE 'CA' ENTERED AT 11:29:58 ON 02 JUN 2006
L11
           91 S L10
L12
            2 S L11 AND ELECTROPHOTOG?
=> s 112 not 15
L13
           2 L12 NOT L5
=> d bib hitstr 1-2
L13 ANSWER 1 OF 2 CA COPYRIGHT 2006 ACS on STN
Full Text
AN 143:106312 CA
TI Electrophotographic carrier coated with graft copolymer, developer
    containing it, and image-forming method
IN
    Yamaguchi, Ishi; Iida, Yoshifumi; Yoshino, Shin
    Fuji Xerox Co., Ltd., Japan
    Jpn. Kokai Tokkyo Koho, 30 pp.
    CODEN: JKXXAF
DT
    Patent
LA
    Japanese
FAN.CNT 1
    PATENT NO.
                     KIND DATE
                                       APPLICATION NO.
                                                             DATE
    -----
                       ____
                    A2 20050707 JP 2003-419035
    JP 2005181478
                                                              20031217
PRAI JP 2003-419035
                              20031217
IT 856864-85-2P 856864-86-3P 856864-87-4P
    856864-88-5P 856864-89-6P
    RL: IMF (Industrial manufacture); TEM (Technical or engineered material
    use); PREP (Preparation); USES (Uses)
       (electrophotog. carrier coated with graft copolymer)
RN
    856864-85-2 CA
    2-Oxepanone, polymer with \alpha-[[3-[3-hydroxy-2-(hydroxymethyl)-2-
    methylpropoxy]propyl]dimethylsilyl]-ω-[(trimethylsilyl)oxy]poly[oxy(
    dimethylsilylene)], graft (9CI) (CA INDEX NAME)
    CM 1
    CRN 856864-75-0
    CMF (C2 H6 O Si)n C13 H32 O4 Si2
    CCI PMS
```

CRN 502-44-3 CMF C6 H10 O2

RN 856864-86-3 CA

CN 2-Oxepanone, polymer with $\alpha-[[3-[3-hydroxy-2-(hydroxymethyl)propoxy]propyl]dimethylsilyl]-<math>\omega-[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)], graft (9CI) (CA INDEX NAME)$

CM 1

CRN 856864-81-8 CMF (C2 H6 O Si)n C12 H30 O4 Si2 CCI PMS

$$HO - CH_2$$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$
 $HO - CH_2 - CH - CH_2 - O - (CH_2)_3 - Si$

CM 2

CRN 502-44-3 CMF C6 H10 O2

RN 856864-87-4 CA

CN 2-Oxepanone, polymer with α -[[3-[2-hydroxy-3-(2-hydroxypropoxy)propoxy]propyl]dimethylsilyl]- ω [(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)], graft (9CI) (CA INDEX NAME)

CM 1

CRN 856864-83-0

CMF (C2 H6 O Si)n C14 H34 O5 Si2

CCI PMS

CRN 502-44-3 CMF C6 H10 O2

RN 856864-88-5 CA

CN 2-Oxepanone, polymer with Coronate L and α -[[3-[3-hydroxy-2-(hydroxymethyl)-2-methylpropoxy]propyl]dimethylsilyl]- ω -[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)], graft (9CI) (CA INDEX NAME)

CM 1

CRN 856864-75-0 CMF (C2 H6 O Si)n C13 H32 O4 Si2 CCI PMS

HO - CH₂-C-CH₂-O-(CH₂)₃-
$$\frac{\text{Me}}{\text{Me}}$$
 - $\frac{\text{Me}}{\text{O-Si}}$ - $\frac{\text{Me}}{\text{In}}$ - O-SiMe 3

CM 2

CRN 39278-79-0 CMF Unspecified CCI PMS, MAN

STRUCTURE DIAGRAM IS NOT AVAILABLE

CM 3

CRN 502-44-3 CMF C6 H10 O2

RN 856864-89-6 CA

CN 2-Oxepanone, polymer with 1,3-diisocyanatomethylbenzene,

2-ethyl-2-(hydroxymethyl)-1,3-propanediol and α -[[3-[3-hydroxy-2-(hydroxymethyl)-2-methylpropoxy]propyl]dimethylsilyl]- ω -[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)], graft (9CI) (CA INDEX NAME)

CM 1

CRN 856864-75-0

CMF (C2 H6 O Si)n C13 H32 O4 Si2

CCI PMS

CM 2

CRN 26471-62-5

CMF C9 H6 N2 O2

CCI IDS

D1-Me

CM 3

CRN 502-44-3 CMF C6 H10 O2

CM 4

CRN 77-99-6 CMF C6 H14 O3

L13 ANSWER 2 OF 2 CA COPYRIGHT 2006 ACS on STN

Full Text

AN 134:133004 CA

TI Polyurethane-based overcoating materials and silicone rubber materials coated with the same

IN Yamazaki, Toshio; Minemura, Masahiko; Nakamura, Tsutomu; Hirabayashi,
Sadao

PA Shin-Etsu Chemical Industry Co., Ltd., Japan

O Jpn. Kokai Tokkyo Koho, 13 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND DATE		APPLICATION NO.	DATE
ΡI	JP 2001026748	A2	20010130	JP 1999-200284	19990714
PRAI	JP 1999-200284		19990714		

IT 321836-34-4P 321836-35-5P

RL: DEV (Device component use); IMF (Industrial manufacture); PRP (Properties); PREP (Preparation); USES (Uses)

(polyurethane-based overcoating materials for silicone rubber materials)

RN 321836-34-4 CA

CN 2-Oxepanone, polymer with dimethylsilanediol and 1,1'-methylenebis[4-isocyanatobenzene], block (9CI) (CA INDEX NAME)

CM 1

CRN 1066-42-8 CMF C2 H8 O2 Si

CM 2

CRN 502-44-3 CMF C6 H10 O2

CM 3

CRN 101-68-8 CMF C15 H10 N2 O2

RN 321836-35-5 CA

CN 2-Oxepanone, polymer with 1,3-diisocyanatomethylbenzene, dimethylsilanediol, 2-ethyl-2-(hydroxymethyl)-1,3-propanediol and 1,1'-methylenebis[4-isocyanatobenzene], block (9CI) (CA INDEX NAME)

CM 1

CRN 26471-62-5 CMF C9 H6 N2 O2 CCI IDS

D1-Me

CM 2

CRN 1066-42-8 CMF C2 H8 O2 Si

CM 3

CRN 502-44-3 CMF C6 H10 O2

CM 4

CRN 101-68-8 CMF C15 H10 N2 O2

CM 5

CRN 77-99-6 CMF C6 H14 O3

=> d kwic 2

L13 ANSWER 2 OF 2 CA COPYRIGHT 2006 ACS on STN

AB . . . (b) bifunctional isocyanates at terminal mol. ratio a/b >1.0. Application of the materials to silicone rubber materials such as keypads, electrophotog. printing rolls, etc., is indicated. Thus, ethylene oxide-propylene oxide copolymer was polymd. with MDI then dild. with MIBK to give. . .

IT Electrophotographic apparatus

(rollers; polyurethane-based overcoating materials for silicone rubber materials)

IT 25766-14-7P, Ethylene oxide-MDI-propylene oxide copolymer 321836-34-4P 321836-35-5P

RL: DEV (Device component use); IMF (Industrial manufacture); PRP (Properties); PREP (Preparation); USES (Uses)

(polyurethane-based overcoating materials for silicone rubber materials)

=>